

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

PUBLIC SERVICES – Panchayat Raj and Rural Development Department – Sri G.Sambasiva Rao, the then Assistant Executive Engineer, Maintenance Section, Kanigiri - Committed certain irregularities in execution of RWS Schemes in Kanigiri, Prakasam District – Departmental proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 – Article of charges – Issued.

-----  
PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.IA) DEPARTMENT

G.O.Rt.No. 1791

Dated:26-11-2010.

ORDER:-

It is proposed to hold an enquiry against Sri G.Sambasiva Rao, the then Assistant Executive Engineer, Maintenance Section, Kanigiri in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the enquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the articles of charges are proposed to be sustained are also enclosed (Annexure-II and III).

3. Sri G.Sambasiva Rao, the then Assistant Executive Engineer, Maintenance Section, Maintenance Section. Kanigiri is directed to submit within (10) days of the receipt of this order, a written statement of defence.

4. Sri G.Sambasiva Rao, the then Assistant Executive Engineer, Maintenance Section, Kanigiri is informed that an enquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri G.Sambasiva Rao, the then Assistant Executive Engineer, Maintenance Section, Kanigiri is further informed that if he does not submit his written statement of defence on or before the period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of rule 20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex parte.

6. Sri G.Sambasiva Rao, the then Assistant Executive Engineer, Maintenance Section, Kanigiri is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964 under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that he is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule. 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

(P.T.O.)

//2//

7. The receipt of the G.O. be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

M.V.P.C. SASTRY  
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To

Sri G.Sambasiva Rao, the then Assistant Executive Engineer, Maintenance Section,  
through the Engineer-in-Chief (Panchayat Raj) Hyderabad.

The Engineer-in-Chief (Panchayat Raj) Hyderabad (in duplicate with a request to  
serve and return the dated acknowledge copy).

Copy to:

The General Administration (V&E) Department, BRKR Buildings, Hyderabad.

The PR&RD (Estt.III) Department.

SF/SC.

//FORWARDED BY ORDER//

SECTION OFFICER

#### ANNEXURE-I

#### STATEMENT OF ARTICLES OF CHARGES FRAMED AGAINST SRI G.SAMBASIVA RAO, THE THEN ASSISTANT EXECUTIVE ENGINEER (PR) MAINTENANCE SECTION, KANIGIRI.

##### Charge-I:-

The said Sri G.Sambasiva Rao, the then Assistant Executive Engineer (PR) Maintenance section, Kanigiri, and present Deputy Executive Engineer while working as Assistant Executive Engineer, Maintenance section, Kanigiri during the period from 12/94 to 12/98, has misused his official position and committed irregularities in execution of grouting work to the clear water sump at Head works of Kanigiri of Nellore district and caused loss to Government.

##### Basis:-

As per the reports of Vigilance & Enforcement vide Report No.226/V&E-E2/97, dt.21.1.2000 and report of Superintending Engineer, RWS, Ongole vide his Lr.RC.No.AEE/949/Vig&Enf., dt.2.3.07, the grouting work was done to clear water sump at Head works of Kanigiri is of poor quality and this grouting has to be removed and reexecuted.

Hence the charge.

##### Charge-II:-

The said Sri G.Sambasiva Rao, former Assistant Executive Engineer and present Deputy Executive Engineer, while working as Assistant Executive Engineer (PR) Maintenance section, Kanigiri during the period from 12/94 to 12/98 has misused his official position and committed irregularities and caused loss to Government, in execution of OHSR of 60,000 Lts of capacity in Sankavaram village.

##### Basis:-

As per the reports of V&E department vide Report No.226/V&E-E2/97, dt.21.1.2000 and report of Superintending Engineer, RWS, Ongole vide his Lr.RC.No.AEE/949/Vig&Enf., dt.2.3.07 the OHSR of 60,000 Lts capacity constructed at Sankavaram village is leaking even for the rain water stored in OHSR even though it is not commissioned.

Hence the charge.

##### Charge-III:-

The said Sri G.Sambasiva Rao, former Assistant Executive Engineer and present Deputy Executive Engineer (PR) while working as Assistant Executive Engineer (PR) Maintenance section, Kanigiri during the period from 12/94 to 12/98 has misused his official position and committed irregularities and caused loss to Government in execution of OHSR of 60,000 Lts in Chintalapaka village.

##### Basis:-

As per the reports of Vigilance & Enforcement department vide Report No.226/V&E-E2/97, dt.21.1.2000 and report of Superintending Engineer, RWS, Ongole vide his Lr.RC.No.AEE/949/Vig&Enf., dt.2.3.07. Leakages were observed for rain water storage itself at the inlet and scour pipes at the bottom slab of OHSR of 60,000 Lts capacity constructed in Chintalapaka village.

Hence the charge.

(p.t.o.)

//2//

Charge-IV:-

The said Sri G.Sambasiva Rao, former Assistant Executive Engineer (PR), Maintenance Section, Kanigiri and present DEE (PR), while working as AEE (PR) Maintenance section, Kanigiri during the period from 12/94 to 12/98 has misused his official position and committed irregularities and caused loss to Government in execution of OHSR of 60,000 lts in Chakirala village.

Basis:-

As per the reports of Vigilance & Enforcement vide Report No.226/V&E-E2/97, dt.21.1.2000 and report of Superintending Engineer, RWS, Ongole vide his Lr.RC.No.AEE/949/Vig&Enf., dt.2.3.07, light cracks were observed at the bottom slab and side RCC walls OHSR of 60,000 lts capacity in Chakirala village.

Hence the charge.

M.V.P.C. SASTRY  
SPECIAL CHIEF SECRETARY TO GOVERNMENT

//FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE-II

LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGES FRAMED AGAISNT SRI G. SAMBASIVA RAO, THE THEN ASSISTANT EXECUTIVE ENGINEER, PR, MAINTENANCE SECTION, KANIGIRI ARE PROPOSED TO BE SUSTAINED.

- 1) Report No.226/V&E-E2/97, dt.21.1.2000 of General Administration (V&E) Department.
- 2) Lr.RC.No.AEE/949/Vig&Enf, dt.2.3.07 of Superintending Engineer, RWS, Ongole.

M.V.P.C. SASTRY  
SPECIAL CHIEF SECRETARY TO GOVERNMENT

//FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE-III

LIST OF WITNESESS BY WHOM THE ARTICLE OF CHARGES FRAMED AGAISNT SRI G. SAMBASIVA RAO, THE THEN ASSISTANT EXECUTIVE ENGINEER, PR, MAINTENANCE SECTION, KANIGIRI ARE PROPOSED TO BE SUSTAINED.

-NIL-

M.V.P.C. SASTRY  
SPECIAL CHIEF SECRETARY TO GOVERNMENT

//FORWARDED BY ORDER//

SECTION OFFICER